



Classification: **B**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

PG_1419.2018

Date of issue (DMY):

28.02.2019

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Hook 5 22

Serial number:

NIPS10220181

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	80
Minimum weight in flight (kg)	60
Glider's weight (kg)	4.3
Number of risers	3
Projected area (m2)	18.76

Accessories

Range of speed system (cm)	13
Speed range using brakes (km/h)	15
Total speed range with accessories (km/h)	25
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Niviuk
Harness model	Konvers M
Harness to risers distance (cm)	43
Distance between risers (cm)	44

Inspections (whichever happens first)

every 24 months or every 100 flying hours
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A A A A A A A A B A A A A A A A A A A B A 0



Classification: **B**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

PG_1420.2018

Date of issue (DMY):

28.02.2019

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Hook 5 24

Serial number:

V8

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	92
Minimum weight in flight (kg)	70
Glider's weight (kg)	4.6
Number of risers	3
Projected area (m2)	20.47

Accessories

Range of speed system (cm)	13
Speed range using brakes (km/h)	15
Total speed range with accessories (km/h)	25
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Supair
Harness model	Evo XC 3 M
Harness to risers distance (cm)	43
Distance between risers (cm)	44

Inspections (whichever happens first)

every 24 months or every 100 flying hours
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A A A A A A A A A B A A A A A A A A B A A 0



Classification: **B**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

PG_1421.2018

Date of issue (DMY):

28.02.2019

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Hook 5 26

Serial number:

NIPS10220182

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	105
Minimum weight in flight (kg)	82
Glider's weight (kg)	4.9
Number of risers	3
Projected area (m2)	22.17

Accessories

Range of speed system (cm)	16
Speed range using brakes (km/h)	15
Total speed range with accessories (km/h)	25
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Gin Gliders
Harness model	Gingo 2 L
Harness to risers distance (cm)	43
Distance between risers (cm)	46

Inspections (whichever happens first)

every 24 months or every 100 flying hours	
Warning! Before use refer to user's manual	
Person or company having presented the glider for testing:	None

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A A A A A A A A A B A A A A A A A A A A A A 0



Classification: **B**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

PG_1422.2018

Date of issue (DMY):

30.11.-0001

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Hook 5 28

Serial number:

NIH528V1

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	120
Minimum weight in flight (kg)	95
Glider's weight (kg)	5.1
Number of risers	3
Projected area (m2)	23.88

Accessories

Range of speed system (cm)	15
Speed range using brakes (km/h)	15
Total speed range with accessories (km/h)	25
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Ava Sport
Harness model	Acro 1 L
Harness to risers distance (cm)	43
Distance between risers (cm)	48

Inspections (whichever happens first)

every 24 months or every 100 flying hours
 Warning! Before use refer to user's manual
 Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A A A A A A A A B A A A A A A A A B B A 0



Classification: **B**



In accordance with standards EN 926-2:2013, EN 926-1:2015 & LTF 91/09:

PG_1423.2018

Date of issue (DMY):

30.11.-0001

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Hook 5 31

Serial number:

NIH531V1

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	135
Minimum weight in flight (kg)	110
Glider's weight (kg)	5.7
Number of risers	3
Projected area (m2)	26.44

Accessories

Range of speed system (cm)	15
Speed range using brakes (km/h)	15
Total speed range with accessories (km/h)	25
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Ava Sport
Harness model	Acro 1 L
Harness to risers distance (cm)	43
Distance between risers (cm)	48

Inspections (whichever happens first)

every 24 months or every 100 flying hours
 Warning! Before use refer to user's manual
 Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A A A A A A A A B A A A A A A A A A B B A 0